





320X160CM LARGE FORMAT PORCELAIN SLABS



"DESIGN WITH INTENTION, INSPIRE WITH GRANDIOSITY."





AvantePLUS is a large format porcelain slab category by AVANTE SURFACES. Inspired by nature, our product range is almost indistinguishable from elegant stones, ensuring the same aesthetics and luxurious feel without maintenance issues or usage restrictions.

Our slabs are easy to fabricate and process, enabling creative flexibility for a more personalized environment. So, whether building or remodelling your space, looking for a perfectly seamless look, or anything in between, AvantePLUS will cater to all your design needs.







Available in **3200X1600mm** dimension and **12 mm thickness**, AvantePLUS slabs are highly versatile and suitable for all intended uses in both domestic and commercial settings.

Advantages of AvantePLUS



Hygienic & suitable for contact with food



Easy to clean



Resistant to chemicals acids, bases & solvents



Stain resistant



Resistant to mould mildew & fungus



Water resistant



Flatness & stability over time





Resistant to heat & high temperatures



UV resistant



Scratch proof & abrasion resistant



Impact resistant



Explore our extensive collection



CALACATTA LIGHT

BRECCIA CAPRAIA

VALENCIA GOLD



BIANCO PANDA



PATAGONIA STONE



BRECCIA BRONZE



01 CALACATTA MIRROR

STATUARIO GOLD GRANDE



STATUARIO GRANDE



VICTORIA GREY



OROBICO



HONEY ONYX



PIETRA NERO



01

LINCOLN ORO



CALACATTA ROYALE




VENETINO ROYAL




PLUTO GRIS



MACABUS GOLD







HANDLING



PIAGET WHITE



STATUARIO MAGIA



OYSTER BAY



AMAZONITE RUST



ARMANI GREY GRANDE



PATAGONIA CLASSIC





TECHNICAL SPECIFICATION

01 ARABESCATO ROYAL







CALACATTA VAGLI



BAOBOB FURRY



PATAGONIA BIANCO











CALACATTA LIGHT

320x160cm (3200x1600mm | 63x126inch)











CALACATTA MIRROR

320x160cm (3200x1600mm | 63x126inch)












LINCOLN ORO 320x160cm (3200x1600mm | 63x126inch)










PIAGET WHITE
320x160cm (3200x1600mm | 63x126inch)











ARABESCATO ROYAL

320x160cm (3200x1600mm | 63x126inch)









BRECCIA CAPRAIA

320x160cm (3200x1600mm | 63x126inch)











STATUARIO GOLD GRANDE

320x160cm (3200x1600mm | 63x126inch)











CALACATTA ROYALE

320x160cm (3200x1600mm | 63x126inch)












STATUARIO MAGIA 320x160cm (3200x1600mm | 63x126inch)









VOLAKAS GRANDE 320x160cm (3200x1600mm | 63x126inch)























STATUARIO GRANDE

320x160cm (3200x1600mm | 63x126inch)











VENETINO ROYAL

320x160cm (3200x1600mm | 63x126inch)











OYSTER BAY 320x1600mm | 63x126inch)











CALACATTA VAGLI

320x160cm (3200x1600mm | 63x126inch)











BIANCO PANDA 320x160cm (3200x1600mm | 63x126inch)









VICTORIA GREY
320x160cm (3200x1600mm | 63x126inch)












PLUTO GRIS
320x160cm (3200x1600mm | 63x126inch)






















BAOBOB FURRY

320x160cm (3200x1600mm | 63x126inch)











CEPPO 320x160cm (3200x1600mm | 63x126inch)









OROBICO 320x160cm (3200x1600mm | 63x126inch)






















ARMANI GREY GRANDE

320x160cm (3200x1600mm | 63x126inch)












PATAGONIA BIANCO

320x160cm (3200x1600mm | 63x126inch)











PATAGONIA STONE

320x160cm (3200x1600mm | 63x126inch)











HONEY ONYX 320x160cm (3200x1600mm | 63x126inch)




















PATAGONIA CLASSIC

320x160cm (3200x1600mm | 63x126inch)









PATAGONIA CRYSTALO 320x1600cm (3200x1600cm) 63x126inch)











BRECCIA BRONZE

320x160cm (3200x1600mm | 63x126inch)









PIETRA NERO 320x160cm (3200x1600mm | 63x126inch)











AGATE CHARCOAL

320x160cm (3200x1600mm | 63x126inch)












WILLIAM NERO

320x160cm (3200x1600mm | 63x126inch)










LABRADORITE
320x160cm (3200x1600mm | 63x126inch)












NAPOLEAN GRANDE

320x160cm (3200x1600mm | 63x126inch)












SAHARA NOIR 320x160cm (3200x1600mm | 63x126inch)








Handling The cargo transport unit of AVANTE PLUS SLAB is formed on two "A-shaped" frames.

The sketches give us the necessary information for the handling and transport of trestles that support the slabs which need to only be moved one at a time. Recommendations, descriptions, measurements and weights shall mark the first steps to follow depending on the transport vehicle or the amount of material that it carries each time.



The trestle shall always be carried symmetrically and only one at a time to prevent instability or collapse.

Whenever the pallet has to be moved, it must be tied with at least one vertical sling. Place protective cardboard at the height of the ratchet to prevent it from hitting or scratching the workpiece. At rest, provided that the goods are not strapped or secured with slings, vertical poles must be placed to secure the load in the event of overturning.

A Frame Weight: 118kg

Size	Thickness	Weight / Slab	No. of Bundles or A-Frame	Total Slabs or Box	Slabs / Container	Sq mtr / Container	Weight / Container	Size of Container
3200x1600mm	12mm	147.0 kg	07	20 slabs	140	716.80	21.5 t	40 ft
3200x1600mm	12mm	147.0 kg	03	20 slabs	60	307.20	09.8 t	20 ft
3200x1600mm	12mm	147.0 kg	09	20 slabs	180	921.60	27.4 t	40 ft

TECHNICAL SPECIFICATION

CHARACTERISTIC	STANDARD AS PER ISO13006:2018/ EN14411 Gr.Bla	STANDARD AS PER IS 15622:2017 Gr.Bla	MEAN VALUE OF AVANTE PLUS	METHOD OF TESTING	
Regulatory Properties					
Deviation in Length and Width	± 0.30 % (1.00 mm)	± 0.10 %	±0.10 %	ISO 10545-2/IS 13630-1	
Deviation in Thickness	± 5.0 % (0.50 mm)	±5.0 %	±5.0 %	ISO 10545-2/IS 13630-1	
Straightness in Side	± 0.30 % (0.80 mm)	± 0.10 %	±0.10 %	ISO 10545-2/IS 13630-1	
Rectangularity	± 0.30 % (1.50 mm)	±0.10%	±0.10 %	ISO 10545-2/IS 13630-1	
Surface Flatness Central Curvature	± 0.40 % (1.80 mm)	± 0.50 %	±0.20 %	ISO 10545-2/IS 13630-1	
Surface Flatness Edge Curvature	± 0.40 % (1.80 mm)	± 0.50 %	±0.20 %	ISO 10545-2/IS 13630-1	
Surface Flatness Warpage	± 0.40 % (1.80 mm)	± 0.50 %	±0.10 %	ISO 10545-2/IS 13630-1	
Surface Quality	>95% defects free	>95% defects free	>95% defects free	ISO 10545-2/IS 13630-1	
Small Color Difference	∆ E <1.00	N.A.	∆E <0.80	ISO 10545-16	
(For Plain Colour)					
Glossiness (Polished)	As per Manufacturer	As per Manufacturer	= 90	Gloss Meter 60	
Glossiness (Satin/Posh)	As per Manufacturer	As per Manufacturer	7 = Gloss Value = 25	Gloss Meter 60	
Structural Properties	I				
Water Absorption	≤0.50 %	≤0.080 %	≤0.080 %	ISO 10545-3/IS 13630-2	
Bulk Density	As per Manufacturer	Min 2.20 g/cc	> 2.28 gm/cc	ISO 10545-3/IS 13630-2	
Massive Mechanical Properties					
Modulus of Rupture	Min. 35.0 N/mm	Min. 35.0 N/mm	Min. 40.0 N/mm	SO 10545-4/IS 13630-6	
Breaking Strength Thickness =7.5 mm	Min 1300.0 N	Min 1300.0 N	Min 6000.0 N	ISO 10545-4/IS 13630-6	
	Mili Book N	14III 1300.0 IV	Will 6000.0 IV	150 10545-4/15 15050-0	
Surface Mechanical Properties					
MOH S Hardness #	As per Manufacturer	Min. 5	Polished Min 4**/	BS EN 15771/IS 13630-13	
			Satin & Posh Min 6		
Surface Abrasion Resistance #	As per Manufacturer	Min. Class II	Polished Min II**/	ISO 10545-7/IS 13630-11	
			Satin & Posh Min III		
Thermal Hygrometric Properties		I			
Moisture Expansion	Max 0.06% (0.6 mm/m)	Max 0.02 mm/m	Max 0.02 mm/m	ISO 10545-10/IS 13630-3	
Thermal Expansion(COE) at 100 C	As per Manufacturer	Max. 6.0 x 10-6	Max. 6.0 x 10-6	ISO 10545-8/IS 13630-4	
Thermal Shock Resistance	Min 10 Cycle	Min 10 Cycle	Min 10 Cycle	ISO 10545-9/IS 13630-5	
Impact Resistance(COR) #	Min. 0.55	Min 0.55	Min 0.55	ISO 10545-5/IS 13630-14	
Frost Resistance	As per Manufacturer	As per Manufacturer	Frost Proof	ISO 10545-12/IS 13630-10	
Crazing Resistance at 7.5 bar	4 Cycle	4 Cycle	4 Cycle	ISO 10545-11/IS 13630-9	
Chemical Properties					
Resistance to Staining Glazed	Min. Class 3	Min Class 1	Min. Class 3/Min. Class 1	ISO 10545-14/IS 13630-8	
Resistance to Household Chemicals &	Min Class GB	Min Class AA	Min Class GB/Min Class AA	ISO 10545-13/IS 13630-8	
Swimming Pool Salts Glazed				•	
Resistance to Low Concentrate	As per Manufacturer	As per Manufacturer	Min Class GLB***/	ISO-10545-13/IS 13630-8	
Acid and Alkalis Glazed			Min Class A***		
Resistance to High Concentrate	As per Manufacturer	As per Manufacturer	Min Class GHB***/ Min Class A***	ISO-10545-13/IS 13630-8	
Acid and Alkalis Glazed			MIII Class A···		
Safety Properties	1	I	1		
Skid Resistance -	As per Manufacturer	As per Manufacturer	Glossy≥P0,Satin,Posh≥P1	BS 7976-2	
(DCOF-WET PENDULUM)##					
Slip Resistance -Satin/Posh	As per Manufacturer	As per Manufacturer	R9 to R10	DIN 51130	
(DCOF- R Value)##					



^{**} With nano technology (Polished Vitrified tiles) Depending on Application area (low or high intensity of trafic)

^{***} Except Hydrofluoric Acid & it's compound

[#] Tiles Intended for use on floor | ## For Floor tiles,as per customer requirement